



Johan van den Berg T/A

Boats 4 Africa

Tel: +27 21 790 6279

Johan: 082 771 9842

Fax: 0866 729453

Email: sales@boats4africa.co.za

Website: www.boats4africa.co.za

Address: 17 Scott Road

Hout Bay

7806

Cape Town

"MAGNUM 32" - POWER CATAMARAN

FULL CABIN—SPORTFISHER MODEL

SPECIFICATIONS

January 2007 model

LOA	10.3m
Beam	3.4m
Draft	0.600m
Boat weight – operational	+/- 5000 kg
Fuel – Standard capacity	720 litres
H.P. (O/B 30 inch shaft)	2 x 250 HP Yamaha Four Stroke = 464 hours

DESCRIPTION OF PRODUCT

This boat, built to endure the Cape of Storms, is filled with high density foam, and has been designed to satisfy the needs of the serious fishermen, whilst offering the comfort and versatility required for over night cruising and social entertainment. The catamaran hull provides excellent stability with a dry and soft ride and is available with either inboard diesel engines, or with 4 stroke outboard engines. The cabin, which houses the main control station, offers comfortable seating with excellent vision to the aft deck and a clear 360 degree view of the surroundings through toughened tinted glass. Forward of the seating and control area are two private cabins. The galley and fully enclosed head is located in the cabin area. The large fly-bridge houses the dual control station and has two full length bench seats suitable for sun-tanning or lounging. The boat will be produced and finished similarly to the existing boats viewed on our website or to boats tested during demonstrations.

STANDARD SPECIFICATIONS

AFT DECK

Self Draining

Two below deck storage hatches 650l each

6 x Large hatches located on gunwales for storage

Access hatches to battery storage on transom engine wells.

Pressurized raw water wash down system with hose and nozzle

Retractable fresh water shower handset mounted on swim platform.

Transom door to swim platform

2 x Access hatches to fuel tanks

2 x Access hatches to through hull mountings and bilge pumps

2 x Automatic bilge pumps for hull drainage

2 x Manual bilge pumps for emergency hull drainage

2 x Electric drain pumps for drainage of below deck storage hatches

2 x Manual bilge pumps for emergency drainage of below deck storage hatches

Large centre box to house gas cylinder, ladder and insulated bait compartment

CABIN INTERIOR

Central steering console housing hydraulic steering pump,

Morse electronic engine controls and engine instrumentation.

Access to Port and Starboard Fwd. cabins/bunk area through timber doors.

Access to Port Aft bunk/ storage area through timber door

Enclosed marine head with basin, for fresh water tap and hand shower.

Storage locker, mirror and access to toilet through-hull fittings and automatic bilge pump located in this area

Port and starboard storage lockers with timber lattice doors.

L-shape bench seat located on Port side

Galley area with utensil drawer unit, cupboard, 12-volt fridge, 2 plate gas stove

Basin with fresh water tap located on Starboard side

Strategically placed handrails located overhead and throughout cabin

Opening ventilation ports in head, bunk and saloon areas.

Escape hatch located in forward cabin
Communication hatch opening to fly bridge
Sliding doors for security and weather protection
Flotex carpeting on cabin interior floors
Upholstered bench and bunk cushions colour matched to Owners choice

FLYBRIDGE

Dual hydraulic steering system with stainless steel steering wheel
Dual Morse Electronic engine controls.
2 x Digital Tachometers, 1 x engine start-stop panel
Swivel helm seat.
Port and starboard full length upholstered benches, with 4 storage lockers.

FORWARD DECK

Moulded non skid surface with safety rails
Anchor locker – Self-draining, ahead of collision bulkhead

FUEL SYSTEM

2 x Aluminium fuel tanks constructed to marine specifications, complete with
Full baffles, inspection plate, isolating valve, fill, suction and vent lines
Useable volume per tank approx. 350litres
Tank can be dipped or drained through access port in inspection plate
Remote level gauges are located at main control station
Water separator filters and engine primer valves located in storage hatches on aft deck
Marine approved flexible fuel piping used throughout

ELECTRICAL

2 x Heavy duty 100amp Delco engine start batteries with isolating switches.
2 x Heavy duty 100amp Delco house batteries with selector switch.
Marine grade switch panel with circuit breakers connected via bus bars.
Marine grade silicone tin wiring.
Heavy duty windscreen wiper
12 volt air horn
Cabin lights
Low level anti glare cockpit lights on aft deck and on flybridge
2 x Led spreader lights to illuminate aft deck
Navigation lights
Anchor light
Bilge pumps, located as specified above, are wired through the switch panel, & have their integral float switches
hot wired to the house batteries

STAINLESS STEEL

All fittings are marine grade 316 stainless steel welded and polished.
Bow rail.
Toe rail
Hand rails strategically located
Folding radar arch
Flybridge bimini top
6x gunwale mounted rod holders.
Trolling bars with trolling board with 4 rod holders each.
6 x Storage rod holders mounted across radar arch base.
1 x Anchor bollard and roller guide.
4 x Heavy duty deck cleats.
1 x Heavy duty bow eye
2 x Heavy duty transom eyes
1 x Flybridge access ladder
1 x Flybridge screen protector with side rails and backrests
1 x Boarding ladder mounted on swim platform
1 x 70 litre fresh water tank

GENERAL

Fixed magnetic compass mounted at main control station.
Antifoul of hull
Full safety equipment for 10 persons required to satisfy SAMSA category B > 9m.
Container with boat's operating manual, which includes wiring diagrams, mechanical layout etc. as well as manuals of
all installed equipment

OUTBOARD ENGINE (30" DRIVE SHAFTS)

With: 2 x 250 HP 4-Stroke Yamaha Outboards Model 2007 both motor 464 hrs

EXTRAS

Launching trailer Dolly triple axle galvanized
Fighting Chair with rocket launcher with rod holder's Burmese teak wood & base

Set of Reelax Outriggers - 3
Lunar Tuna tubes – pair
S/S Gas braai
2 x Glassfibre boxes with upholstered lids behind cabin doors – One convert to livewell
Aft Deck cover
Windscreen cover
Fly-bridge cover
Engine bikini covers
Flotex Carpet – Fly-bridge
Flotex Carpet – Aft deck
Inverter for 12v-220v conversion with shore power connection
Mooring ropes & 6 Fenders
Full set Led lights on deck below gunnels
High pressure deck wash pump & hose spray
Microwave
Toilet – Shower – Wash basin

ELECTRONICS

DUAL STATION NAVNET SYSTEM

Furuno 10 inch Navnet System at main control station (Radar, GPS, Chart Plotter)
Furuno 10 inch Navnet system on Flybridge (Radar, GPS, Chart Plotter)
Furuno GPS for backup
Garmin GPS/Plotter for backup
4KW Radar transmitter
1KW echo sounder transducers for the above
Icom 25 Watt VHF radio with remote microphone for flybridge
GSE 29MHZ radio cabin & flybridge
Simrad AP16 Autopilot with remote control for flybridge.
Majestic Marine DVD player & TV with speakers located in the main and on the aft deck